



# MANY FOLK ENTERPRISES LIMITED

## 萬耀豐企業有限公司

SPECIALIZED IN MANUFACTURING AND SUPPLY OF ELECTRICAL CONDUIT FITTING, AND WIRING ACCESSORIES



### Brass Adaptor – Female

#### Without Screw

- 13 x 20 mm - COT-BB12F
- 16 x 20 mm - COT-BB16F
- 20 x 20 mm - COT-BB20F
- 25 x 25 mm - COT-BB25F
- 32 x 32 mm - COT-BB32F
- 1 ½" x 1 ½" - COT-BB38F
- 2" x 2" - COT-BB50F

\*\* Inner Dia. of Flexible Conduit x Thread



#### With Brass Screw

- 13 x 20 mm - COT-BB12FS
- 16 x 20 mm - COT-BB16FS
- 20 x 20 mm - COT-BB20FS
- 25 x 25 mm - COT-BB25FS
- 32 x 32 mm - COT-BB32FS
- 1 ½" x 1 ½" - COT-BB38FS
- 2" x 2" - COT-BB50FS

\*\* Inner Dia. of Flexible Conduit x Thread



**MANY FOLK ENTERPRISES LIMITED**

**萬耀豐企業有限公司**

SPECIALIZED IN MANUFACTURING AND SUPPLY OF ELECTRICAL CONDUIT FITTING, AND WIRING ACCESSORIES



## Brass Adaptor – Male

### Without Screw

13 x 20 mm - COT-BB12M

16 x 20 mm - COT-BB16M

20 x 20 mm - COT-BB20M

25 x 25 mm - COT-BB25M

32 x 32 mm - COT-BB32M

1 ½" x 1 ½" - COT-BB38M

2" x 2" - COT-BB50M

\*\* Inner Dia. of Flexible Conduit x Thread



### With Brass Screw

13 x 20 mm - COT-BB12MS

16 x 20 mm - COT-BB16MS

20 x 20 mm - COT-BB20MS

25 x 25 mm - COT-BB25MS

32 x 32 mm - COT-BB32MS

1 ½" x 1 ½" - COT-BB38MS

2" x 2" - COT-BB50MS

\*\* Inner Dia. of Flexible Conduit x Thread



**MANY FOLK ENTERPRISES LIMITED**

**萬耀豐企業有限公司**

SPECIALIZED IN MANUFACTURING AND SUPPLY OF ELECTRICAL CONDUIT FITTING, AND WIRING ACCESSORIES



## **Brass Adaptor – Male**

With Brass Screw and Brass Hexagonal Locknut

- 13 x 20 mm - COT-BB12MSL
- 16 x 20 mm - COT-BB16MSL
- 20 x 20 mm - COT-BB20MSL
- 25 x 25 mm - COT-BB25MSL
- 32 x 32 mm - COT-BB32MSL
- 1 ½" x 1 ½" - COT-BB38MSL
- 2" x 2" - COT-BB50MSL
- 12 mm x ¾" - COT-BC1219MSL
- 16 mm x ¾" - COT-BC1619MSL
- 20 mm x ¾" - COT-BC2019MSL
- 20 x 25 mm - COT-BC2025MSL
- 20 mm x 1" - COT-BC2026MSL
- 25 mm x 1" - COT-BC2526MSL

\*\* Inner Dia. of Flexible Conduit x Thread