



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110015

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Standard Circular
Besa Box (Terminal).
Brand Name:



Model No.: HNL101

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:

2001-07-23

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CPE
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110015


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Standard Circular Besa Box (Terminal) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110016

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Standard Circular
Besa Box (Angle).
Brand Name:



Model No.: HNL102

SAMPLE(S) RECEIVED DATE:

2001-07-18

TESTED DATE:

2001-07-23

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3

Anne Chuah, CFD
For Managing Director



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110016


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Standard Circular Besa Box (Angle) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage whatsoever arising from the use of information contained in this Report or from any other source.

Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110017

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Standard Circular
Besa Box (Through)
Brand Name:



Model No.: HNL103

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:

2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix A.3.3


Anne Chuah, CEng
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any

Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: nkstdc@hkstdc.com



香 港 標 準 及 檢 定 中 心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110017

TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Standard Circular Besa Box (Through) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any

Hong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110018

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Standard Circular
Besa Box (Tee).
Brand Name:



Model No.: HNL104

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:

2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CHD
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香 港 標 準 及 檢 定 中 心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110018

TEST RESULT(S):

Number of specimen tested : 3 pieces

Number of specimen passed : 3 pieces

Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Standard Circular Besa Box (Tee) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香港標準及檢定中心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110019

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F-13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Standard Circular

Besa Box (Intersection).

Brand Name:



Model No.: HNL105

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:

2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix A.3.3

Anne Chuah, CHIAO ANIS
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its test results or investigations. 6. Applicants wishing to use the Report in press advertisements or exhibition shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample of material.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taip'o Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
e-mail: nkstdc@nkstdc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110019


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Standard Circular Besa Box (Intersection) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipó Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香港標準及檢定中心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110020

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F-13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Special Deep Circular
Box (Terminal).
Brand Name:



Model No.: HNH116

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:


2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CFD
For Managing Director



Conditions in issue of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. in test affecting the results of the tests.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110020


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Special Deep Circular Box (Terminal) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com
E-mail: hkstc@hkstc.com



香 港 標 準 及 檢 定 中 心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110021

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Special Deep Circular
Box (Angle).
Brand Name:



Model No.: HNH117

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:

2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CFD
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110021


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Special Deep Circular Box (Angle) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110022

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Special Deep Circular
Box (Through).
Brand Name:



Model No.: HNH118

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:

2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CFB
For Managing Director



Conditions in Issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com
E-mail: hkstc@hkstc.com



香港標準及檢定中心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110022


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Special Deep Circular Box (Through) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com
E-mail: hkstc@hkstc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110023

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Special Deep Circular
Box (Tee).
Brand Name:



Model No.: HNH119

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:

2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CFD
For Managing Director



Conditions in issuance of Test Report
1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com
E-mail: hkstc@hkstc.com



香 港 標 準 及 檢 定 中 心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110023


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Special Deep Circular Box (Tee) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香 港 標 準 及 檢 定 中 心

The Hong Kong Standards and Testing Centre

Date: 2001-08-21

TEST REPORT

Page 1 of 2

NO: HC110024

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd
Flat F 13/F Golden Plaza
745-747 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Special Deep Circular
Box (Intersection).
Brand Name:



Model No.: HNH120

SAMPLE(S) RECEIVED DATE:

2001-07-19

TESTED DATE:


2001-07-24

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix
A.3.3


Anne Chuah, CFD
For Managing Director



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkstdc@hkstdc.com



香 港 標 準 及 檢 定 中 心
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110024


TEST RESULT(S):

Number of specimen tested : 3 pieces
Number of specimen passed : 3 pieces
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Special Deep Circular Box (Intersection) **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: hkskts@hkstdc.com



香港標準及檢定中心
Hong Kong Standards and Testing Centre

Date : 2002-09-04

TEST REPORT

Page 1 of 2

NO: HC116485

APPLICANT: (Code: MAF002)

Many Folk Enterprises Limited
Flat F 13/F Golden Plaza
745-7 Nathan Rd
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 20mm Dome Cover (Hot-Dip Galvanized).
Item No. : HND146
Brand Name :



SAMPLE(S) RECEIVED DATE:

2002-08-19

TESTED DATE:

2002-08-28

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 : 1994 : Clause 13.4.5 /
BS 4568 : Part 2 : 1970 (1988) Heavy Protection



Anne Chuah, CFD
For Chief Executive

Conditions in Issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstc.com



香港標準及檢定中心

Hong Kong Standards and Testing Centre

Date : 2002-09-04

Page 2 of 2

NO: HC116485

METHOD(S) USED:

Ref. IEC 614-1 : 1994 Clause 13.4.5 and BS 4568 : Part 2 : 1970 (1988) :
Appendix A.3.3


TEST RESULT(S):

Number of specimen tested:	3 pieces
Number of specimen passed:	3 pieces
Number of specimen failed:	0 piece

SUMMARY

1. The submitted 20mm Dome Cover (Hot-Dip Galvanized) complied with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 (1988) for Heavy Protection.
2. It also complied with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



***** End of Document *****

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof, prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in the Report or its Records or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or for other legal purposes shall inform the Hong

香港新界大埔工業邨大宏街10號
10 Dai Wang Street,
Taipo Industrial Estate,
N. T., Hong Kong
Tel : (852) 2666 1888
Fax : (852) 2664 4353
Homepage: www.hkstdc.com
E-mail: info@hkstdc.com