



香 港 標 準 及 檢 定 中 心  
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

**TEST REPORT**

Page 1 of 2

NO: HC110070

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd  
Flat F 13/F Golden Plaza  
745-747 Nathan Rd  
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be Hot-Dip Galvanised Cast Iron Surface Switch  
Box.

Brand Name:



Model No.: HNK149

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:

2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy  
Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix  
A.3.3

  
Anne Chuah, CFD  
For Managing Director



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號  
10 Dai Wang Street,  
Taipo Industrial Estate,  
N. T., Hong Kong  
Tel : (852) 2666 1888  
Fax : (852) 2664 4353  
Homepage: www.hkstdc.com  
E-mail: hkt@hkstdc.com



香 港 標 準 及 檢 定 中 心  
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110070


TEST RESULT(S):

Number of specimen tested : 3 pieces  
Number of specimen passed : 3 pieces  
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted Hot-Dip Galvanised Cast Iron Surface Switch Box **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



\*\*\*\*\* End of Document \*\*\*\*\*

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號  
10 Dai Wang Street,  
Taipo Industrial Estate,  
N. T., Hong Kong  
Tel : (852) 2666 1888  
Fax : (852) 2664 4353  
Homepage: www.hkstc.com  
E-mail: hkstc@hkstc.com



香 港 標 準 及 檢 定 中 心  
**The Hong Kong Standards and Testing Centre**

Date: 2001-08-21

**TEST REPORT**

Page 1 of 2

NO: HC110071


APPLICANT: (Code: MAF002)

Many Folk Ent Ltd  
Flat F 13/F Golden Plaza  
745-747 Nathan Rd  
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 146 x 86 x 43mm Surface Switch (Twin) Box  
Hot-Dip Galvanised.  
Brand Name:



Model No.: HNK151

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:

2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 614-1 / BS 4568 : Part 2 : Heavy Protection

METHOD(S) USED:

Ref. IEC 614-1 : 1994 : Clause 13.4.5 and BS 4568 : Part 2 : 1970 : Appendix A.3.3

  
  
Anne Chuah, CFD  
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號  
10 Dai Wang Street,  
Taipo Industrial Estate,  
N. T., Hong Kong  
Tel : (852) 2666 1888  
Fax : (852) 2664 4353  
Homepage: www.hkstdc.com



香 港 標 準 及 檢 定 中 心  
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110071


TEST RESULT(S):

Number of specimen tested : 3 pieces  
Number of specimen passed : 3 pieces  
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted 146 x 86 x 43mm Surface Switch (Twin) Box Hot-Dip Galvanised **complied** with Clause 13.4.5 of IEC 614-1 : 1994 and BS 4568 : Part 2 : 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition).

PHOTO OF SAMPLE:



\*\*\*\*\* End of Document \*\*\*\*\*

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. in their statement in submitting the samples for testing.

香港新界大埔工業邨大宏街10號  
10 Dai Wang Street,  
Taipo Industrial Estate,  
N. T., Hong Kong  
Tel : (852) 2666 1888  
Fax : (852) 2664 4353  
Homepage: www.hkstdc.com  
E-mail: hkstdc@hkstdc.com



香港標準及檢定中心  
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

**TEST REPORT**

Page 1 of 2

NO: HC110067

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd  
Flat F 13/F Golden Plaza  
745-747 Nathan Rd  
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 72 x 72 x 35mm Hot-Dip Galvanised Switch & Socket (4662-1299) Box.  
Brand Name:



Model No.: HNK126

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:

2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 670 / BS 4662 : Heavy protection

METHOD(S) USED:

Ref. IEC 670 and BS 4662 : 1970 : Clause 1.10.3



Anne Chuah, CFD  
For Managing Director

**Conditions in issuance of Test Report**

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any

香港新界大埔工業邨大宏街10號  
10 Dai Wang Street,  
Taipo Industrial Estate,  
N. T., Hong Kong  
Tel : (852) 2666 1888  
Fax : (852) 2664 4353  
Homepage: www.hkstc.com



香 港 標 準 及 檢 定 中 心  
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

Page 2 of 2

NO: HC110067


TEST RESULT(S):

Number of specimen tested : 3 pieces  
Number of specimen passed : 3 pieces  
Number of specimen failed : 0 piece

SUMMARY:

1. The submitted 72 x 72 x 35mm Hot-Dip Galvanised Switch & Socket (4662-1299) Box **complied** with IEC 670 and BS 4662: 1970 for Heavy Protection.
2. It also **complied** with the General Specification for Electrical Installation in Government Buildings of The Hong Kong Special Administrative Region (1998 Edition) in accordance with C1.2.4 & C1.2.5.

PHOTO OF SAMPLE:



\*\*\*\*\* End of Document \*\*\*\*\*

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號  
10 Dai Wang Street,  
Taipo Industrial Estate,  
N. T., Hong Kong  
Tel : (852) 2666 1888  
Fax : (852) 2664 4353  
Homepage: www.hkstc.com  
E-mail: hkstc@hkstc.com



香港標準及檢定中心  
The Hong Kong Standards and Testing Centre

Date: 2001-08-21

**TEST REPORT**

Page 1 of 2

NO: HC110068

APPLICANT: (Code: MAF002)

Many Folk Ent Ltd  
Flat F 13/F Golden Plaza  
745-747 Nathan Rd  
Kln

Attn: Mr Raymond Fung

DESCRIPTION OF SAMPLE(S):

One submitted sample said to be 72 x 72 x 47mm Hot-Dip Galvanised Switch & Socket (4662-1363) Box.  
Brand Name:



Model No.: HNK127

SAMPLE(S) RECEIVED DATE:

2001-07-23

TESTED DATE:

2001-07-26

INVESTIGATION(S) REQUESTED:

Test for resistance to corrosion – IEC 670 / BS 4662 : Heavy Protection

METHOD(S) USED:

Ref. IEC 670 and BS 4662 : 1970 : Clause 1.10.3



  
Anne Chuah, CFD  
For Managing Director

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. to that effect prior to submitting the sample for testing.

香港新界大埔工業邨大宏街10號  
10 Dai Wang Street,  
Taipo Industrial Estate,  
N. T., Hong Kong  
Tel : (852) 2666 1888  
Fax : (852) 2664 4353  
Homepage: www.hkstc.com  
E-mail: hkstc@hkstc.com