

TEST REPORT: S09MEC00914-02-EKH-CORR1

Date: 07 MAY 2009

Tel: +65 68851335 Fax: +65 67784301

Client's Ref: -

Email: Sihai.LI@tuv-sud-psb.sg

Note: This report is issued subject to TÜV SÜD PSB's "Terms and Conditions Governing Technical Services". The terms and conditions governing the issue of this report are set out as attached within this report.



PSB Singapore

**Choose certainty.
Add value.**

SUBJECT

Testing for adaptable junction box hot-dipped galvanised for resistance to corrosion – high protection (IEC 61386-1 : 2008 Class 4).

CLIENT

Many Folk Enterprises Limited
Flat F, 13/F, Golden Plaza
745-7 Nathan Road, Kowloon
Hong Kong

Attn: Mr Ray Lee



SAMPLE SUBMISSION DATE

28 Jan 2009

DESCRIPTION OF SAMPLE

Two samples of adaptable junction box hot-dipped galvanised (3 pieces each) were received.

Sample Reference

Brand	Sample
 HN	COT-HNA152 (75 x 75 x 50mm adaptable junction box).
 HN	COT-HNA153 (100 x 100 x 50mm adaptable junction box).



Laboratory:
TÜV SÜD PSB Pte. Ltd.
Testing Services
No.1 Science Park Drive
Singapore 118221

Phone : +65-6885 1333
Fax : +65-6776 8670
E-mail: testing@tuv-sud-psb.sg
www.tuv-sud-psb.sg
Co. Reg : 199002667R

Regional Head Office:
TÜV SÜD Asia Pacific Pte. Ltd.
3 Science Park Drive, #04-01/05
The Franklin, Singapore 118223
TÜV



METHOD OF TEST

IEC 61386-1 : 2008

"Conduit systems for electrical installations – Part 1 : General requirements".


Clause 14.2.2.3 – High protection.

RESULTS


Sample	Resistance to Corrosion Test (Class 4. High protection both inside and outside)	
	Interior Surface	Exterior Surface
COT-HNA152	Passed	Passed
COT-HNA153	Passed	Passed

ENG KIA HEE
SENIOR TECHNICAL EXECUTIVE

DR LI SIHAI
AVP / SENIOR CHEMIST
COATINGS & INDUSTRIAL CHEMICALS
CHEMICAL & MATERIALS



COT-HNA152



COT-HNA153

TEST REPORT: S09MEC00914-02-EKH-CORR1
07 MAY 2009



PSB Singapore

This Report is issued under the following conditions:

1. Results of the testing/calibration in the form of a report will be issued immediately after the service has been completed or terminated.
2. Unless otherwise requested, a report shall contain only technical results. Analysis and interpretation of the results and professional opinion and recommendations expressed thereupon, if required, shall be clearly indicated and additional fee paid for, by the Client.
3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment.
4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through TÜV SÜD PSB, unless the Client has authorised TÜV SÜD PSB in writing to do so.
6. TÜV SÜD PSB may at its sole discretion add to or amend the conditions of the report at the time of issue of the report and such report and such additions or amendments shall be binding on the Client.
7. All copyright in the report shall remain with TÜV SÜD PSB and the Client shall, upon payment of TÜV SÜD PSB's fees for the carrying out of the tests/calibrations, be granted a license to use or publish the report to the third parties subject to the terms and conditions herein, provided always that TÜV SÜD PSB may at its absolute discretion be entitled to impose such conditions on the license as it sees fit.
8. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
9. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
10. Unless otherwise stated, the tests are carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

January 2008

TEST REPORT: S09MEC01335-02-EKH-CORR02

Date: 07 MAY 2009

Tel: +65 68851335 Fax: +65 67784301

Client's Ref: -

Email: Sihai.LI@tuv-sud-psb.sg

Note: This report is issued subject to TÜV SÜD PSB's "Terms and Conditions Governing Technical Services".
The terms and conditions governing the issue of this report are set out as attached within this report.



PSB Singapore

**Choose certainty.
Add value.**

SUBJECT

Testing for adaptable box surface cover steel plate hot-dipped galvanised for resistance to corrosion – high protection (IEC 61386-1 : 2008 Class 4).

CLIENT

Many Folk Enterprises Limited
Flat F, 13/F, Golden Plaza
745-7 Nathan Road, Kowloon
Hong Kong

Attn: Mr Ray Lee




SAMPLE SUBMISSION DATE

28 Jan 2009

DESCRIPTION OF SAMPLE

Three samples of adaptable box surface cover steel plate hot-dipped galvanised (3 pieces each) were received.

Sample Reference

Brand	Sample
	COT-HNC272 (75 x 75 x 50mm adaptable junction box surface cover).
	COT-HNC273 (100 x 100 x 50mm adaptable junction box surface cover).
	COT-HNC274 (150 x 150 x 75mm adaptable junction box surface cover).



PSB TEST®
Your Peace of Mind

Laboratory:
TÜV SÜD PSB Pte. Ltd.
Testing Services
No.1 Science Park Drive
Singapore 118221

Phone : +65-6885 1333
Fax : +65-6776 8670
E-mail: testing@tuv-sud-psb.sg
www.tuv-sud-psb.sg
Co. Reg : 199002667R

Regional Head Office:
TÜV SÜD Asia Pacific Pte. Ltd.
3 Science Park Drive, #04-01/05
The Franklin, Singapore 118223
TUV®

TEST REPORT: S09MEC01335-02-EKH-CORR02

07 MAY 2009



PSB Singapore

METHOD OF TEST

IEC 61386-1 : 2008

"Conduit systems for electrical installations – Part 1 : General requirements".


Clause 14.2.2.3 – High protection.

RESULTS


Sample	Resistance to Corrosion Test (Class 4. High protection both inside and outside)	
	Interior Surface	Exterior Surface
COT-HNC272	Passed	Passed
COT-HNC273	Passed	Passed
COT-HNC274	Passed	Passed

ENG KIA HEE
SENIOR TECHNICAL EXECUTIVE


DR LI SIHAI
AVP / SENIOR CHEMIST
COATINGS & INDUSTRIAL CHEMICALS
CHEMICAL & MATERIALS



COT-HNC272



COT-HNC273



COT- HNC274

TEST REPORT: S09MEC01335-02-EKH-CORR02
07 MAY 2009



PSB Singapore

This Report is issued under the following conditions:

1. Results of the testing/calibration in the form of a report will be issued immediately after the service has been completed or terminated.
2. Unless otherwise requested, a report shall contain only technical results. Analysis and interpretation of the results and professional opinion and recommendations expressed thereupon, if required, shall be clearly indicated and additional fee paid for, by the Client.
3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment.
4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through TÜV SÜD PSB, unless the Client has authorised TÜV SÜD PSB in writing to do so.
6. TÜV SÜD PSB may at its sole discretion add to or amend the conditions of the report at the time of issue of the report and such report and such additions or amendments shall be binding on the Client.
7. All copyright in the report shall remain with TÜV SÜD PSB and the Client shall, upon payment of TÜV SÜD PSB's fees for the carrying out of the tests/calibrations, be granted a license to use or publish the report to the third parties subject to the terms and conditions herein, provided always that TÜV SÜD PSB may at its absolute discretion be entitled to impose such conditions on the license as it sees fit.
8. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
9. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
10. Unless otherwise stated, the tests are carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

January 2008



香港標準及檢定中心

The Hong Kong Standards and Testing Centre Ltd

CERTIFICATE OF COMPLIANCE

Certificate Number: CFD 008/2009

APPLICANT:

Many Folk Enterprises Limited
Flat F, 13/F., Golden Plaza,
745-747 Nathan Road,
Kowloon, Hong Kong

DESCRIPTION OF SAMPLE:

Product: Adaptable Junction Box Hot-dipped Galv. & Surface Type Adaptable Box Cover (Steel Plate Hot-dipped Galv.)

Manufacturer: Many Folk Enterprises Limited

Model No: COT-HNA152, COT-HNA153, COT-HNA154, COT-HNC272,
COT-HNC273, COT-HNC274

Brand Name:  **HN** & 

Origin: P.R.C.

INVESTIGATION CONDUCTED:

IEC60670-1:2002, Resistance to Corrosion

IEC60670-1:2002, Dimensions

BS4568:Part 2:1970, Dimensions

REFERENCE TEST REPORT NUMBER: HC228697, HC228698, HC229086

This is to certify that the submitted sample has been tested in accordance with and found to be in compliance with the said investigation.

Date: 2009-06-24



LAU Yuk Kuen, Joey
Authorized Signatory

Chemical and Food Department
For and on behalf of

The Hong Kong Standards and Testing Centre Ltd

